

PROCESS EQUIPMENT FOR RELIABLE, SAFE AND SANITARY PRODUCTION









PUMPS & PROCESS EQUIPMENT

AMPCO ROLEC DH INDUCTION SYSTEMS



- Models: DH45, DH90 & DH250
- Pellet Capacity: 44 lbs/88 lbs/264 lbs
- Pump: SBI-R10
- Recirculation: 2.0 bbls & 2.9 bbls
- Port Size: 1.5" & 2"
- Motor: 5 HP & 10 HP

AMPCO CELLAR CART FOR BEER & CIP



- Ampco AC+ Series pump
- Flows up to 920 GPM
- Max viscosity of 1,200 cP
- · Pressures up to 60 psi
- NEMA 4X VFD
- 316L stainless steel construction

AMPCO CB+ CRAFT BREW PUMP



- Flows up to 920 GPM
- Max viscosity of 1,200 cP
- Pressures up to 130 psi
- 316L stainless steel
- · Dynamically balanced impeller
- · Available in 8 model sizes

AMPCO WINE, MUST & YEAST CART



- Ampco ZP1 Pump
- Flows up to 452 GPM
- NEMA 4X VFD
- Pressures up to 225 psi
- 304 stainless steel gearcase
- 10" foam filled wheels

BJM SUBMERSIBLE PUMP



- Flows up to 911 GPM
- Sizes available from 2" to 6"
- Motor ratings from 1 HP to 20 HP
 316 cast stainless steel construction
- Shredder action non-clog impellers
- FKM elastomers

FLUX DRUM PUMPS



- For 55 gallon drums, totes & IBC's
- Flows up to 12 GPM
- Pressures up to 116 psig
- Viscosities up to 100,000 cPs
- Electric and pneumatic motors
- ATEX, FDA, & 3-A Certified

GOULDS CENTRIFUGAL PUMP



- Flows up to 175 GPM
- Up to 150 ft head / 125 psi
- 316L stainless steel construction
- High efficiency enclosed impeller
- Standard John Crane mechanical seal design

THOMAS HIGH PRESSURE PUMPS



- Flows up to 400 GPM
- Pressures up to 2,300 psi
- Pump speeds up to 4,380 RPM
- Options include T-GTO, T-GTO XD & T-GEAR Series
- Made in the USA

WILDEN DIAPHRAGM PUMP



- Flows up to 231 GPM
- · Pressures up to 125 psi
- Sizes available from 1/4" to 3"
- · ADS options Pro-Flo, Pro-Flo Shift
- Complies with FDA, HS, 3A, ATEX and EHEDG standards

SHARPE PORTABLE MIXER



- Tank sizes up to 5,000 gallons
- Viscosities up to 15,000 cP
- · Clamp, plate or flange mounted
- Direct drive, gear drive, thrifty and USDA approved stainless steel models available

SHELCO HOUSINGS & FILTERS



- MicroVantage HPI/HPV Series
- MicroVantage Sanitary SFH Series
- Equipped with 222, 226 or DOE style cartridge connectors
- 316L stainless steel construction
- Replacement cartridge filters

THERMALINE GASKETED PLATE HEAT EXCHANGERS



- Deep channels for gentle processing of food products and cleanability
- Complies with 3-A requirements
- Automated open/closed designs
- 3-A shell & tube heat exchangers also available





















HOSE & FITTINGS

TUDERTECHNICA GLIDETECH BUTYL HOSE



- · Premium grade low permeation flexible suction and delivery hose for wine and spirits
- Extra flexible corrugated cover
- Good for CIP (clean-in-place)
- 3-A Sanitary Standard 18-03

CONTINENTAL **VINTNER RESERVE HOSE**



- · Used for transferring wine, beer, potable water and more
- Consistent 250 psi rating
- White chlorobutyl tube
- Conforms to FDA, USDA and 3-A Sanitary Standard 18-03

CONTINENTAL PLICORD EXTREMEFLEX BEVERAGE HOSE



- · Used at beer, wine, distillery and beverage transfer facilities
- Corrugated UHMWPE EZ-Clean smooth cover and chlorobutyl tube
- · Conforms to FDA, USDA and 3-A Sanitary Standard 18-03

CONTINENTAL PLICORD EXTREMEFLEX FOOD GRADE HOSE



- · High-tech, flexible corrugated hose with pretzel-like agility
- Rated for pressures up to 150 psi
- White Chemivic tube that is FDA and USDA compliant and conforms to 3-A Sanitary Standard 18-03

CONTINENTAL NUTRIFLO SUCTION & DISCHARGE HOSE



- · Constructed with Pliovic materials and a high density Pliovic helix
- 3/4" to 6" I.D. options available
- Rated for pressures up to 120 psi
- FDA, USDA, NSF-61 and 3-A Sanitary Standard 18-03 compliant

CONTINENTAL PLICORD BREWLINE HOSE



- · Discharge hose designed for transferring non-oily liquid products in wineries and breweries
- Rated for pressures up to 250 psi
- FDA, USDA and 3-A Sanitary Standard 18-03 compliant

CONTINENTAL WASHDOWN HOSE



- Used in food processing plants, dairies and breweries
- Microban product protection cover
- Blue Fortress 300
- Super Sani-Wash 300
- Yellow Fortress 300

TUDERTECHNICA GLIDETECH DISTILLERY HOSE



- · Suction and delivery hose suitable for a wide range of food products
- Rated for pressures up to 150 psi
- Corrugated non-marking cover
- Good for CIP (clean-in-place)
- · Phthalates free tube

HOSE ACCESSORIES

& SANITARY EQUIPMENT

WASHDOWN ACCESSORIES















ATTACHMENT METHODS









Tri-Clamp w/



Sanitary Tri-Clamp













Good



Better



Tri-Clamp w/



























Our Brewery, Winery & Distillery

LINE CARD

Pump Manufacturers







































Hose & Fittings















Rubber Fab



Filtration













Process













Custom Sanitary Solutions ENGINEERING, DESIGN & BUILD SERVICES



Need a custom skid or sanitary system? Our experienced Engineering team will guide you through the process and offer solutions guaranteed to meet your needs.

Wisconsin Corporate 21365 Gateway Court Brookfield, WI 53045 (262) 784-3340

Illinois Branch 960 Oak Creek Drive Lombard, IL 60148 (630) 782-6834

Indiana Branch 8104 Woodland Drive Indianapolis, IN 46278 (317) 875-6900

Michigan Branch 41304 Concept Drive Plymouth, MI 48170 (248) 476-7782

Minnesota Branch 510 Sixth Street NW New Prague, MN 56071 (952) 758-5000

Ohio Branch 4891 Van Epps Road

Brooklyn Heights, OH 44131 , (216) 739-1600

Serving Illinois, Indiana, Iowa, Kentucky, Michigan, Minnesota, North Dakota, Ohio, South Dakota and Wisconsin